

Fiat Scudo L2 Diesel 2.0 BlueHDi 145 Van Auto

Panel Van Large, Diesel, Automatic

From

Price on application

- Top seller #714

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Body type Panel Van Large	Fuel Diesel	Gearbox Automatic	Engine 2.0 litre
Power 144 bhp	Payload 1393 kg	Gross weight 3100 kg	Load length 2862 mm
Load width 1636 mm	Load height 1397 mm	Load volume 6.1 m³	MPG 39.2
CO2 189 g/km	Seats 2	CAP code FISC20L25 VDTM2 4 L	

Standard equipment

Wheels

- Black hubcap Tyre 215/65 R16 class C

Security

- 2x 3-button keys, without keyless
- Remote central locking with deadlocking and separate locking for cab

Technical

- ABS
- Electronic brake force distribution (EBFD)
- Hill climb assist
- EBA
- ESC

Passive Safety

- Automatic fuel cut-off and door unlocking in event of accident
- Front passenger and driver airbags

Exterior Features

- 2 manual sliding doors
- Daytime running lights
- Headlights with integrated bulbs
- Predisposition for towing hook
- Automatic wipers and acoustic windscreen
- Front electric windows with one touch operation and anti-pinch
- No central rearview mirror

Interior Features

- 12v socket in cabin and load area
- Driver's seat with height, rake, reach and lumbar adjustment
- Fabric upholstery
- Opened central and passenger side storage
- Driver's seat armrest
- Dual front passenger bench seat
- Full steel bulkhead

Driver Convenience

- PAS
- TPMS (Tyre pressure monitoring system)
- ZEV 3,5" coloured matrix instrument panel
- Rear parking sensors
- Trip odometer and speedometer

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	215/65 R16
Tyre Size Front	215/65 R16
Tyre Size Spare	FULL SIZE
Automatic Clutch	Yes

General

Clutch	SINGLE DRY PLATE
Steering	PAS
Hand Brake	REAR
Badge Power	145
Rear Brakes	DISCS
Front Brakes	VENTILATED DISCS
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	2.0
Rear Suspension	TORSION BEAM
Relative Height	H1
Relative Length	L2
Special Edition	No
Front Suspension	MCPHERSON STRUTS
Service Interval Mileage	30000
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	MEDIUM
Timing Belt Interval Mileage	90000
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Timing Belt Interval Frequency - Months	120
Manufacturers Paintwork Guarantee - Years	3
Manufacturers Corrosion Perforation Guarantee - Years	8
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	144
Top Speed	106
Engine Power KW	106
Engine Power RPM	3750
Engine Torque NM	370
Engine Torque MKG	37.7
Engine Torque RPM	2000
Engine Torque LBS.FT	273

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	214
WLTP - CO2 (g/km) - Comb - TEH	214
WLTP - CO2 (g/km) - Comb - TEL	189

Vehicle Dimensions

Height	1935
Length	5309
Wheelbase	3275
Load Width	1636
Load Height	1397
Load Length	2862
Rear Overhang	1153
Front Overhang	881
Rear Door Height	1220
Side Load Door Width	935
Side Load Door Height	1241
Width (excluding mirrors)	1920
Width (including mirrors)	2204
Turning Circle - Kerb to Kerb	12
Load Space Width Between Wheel Arches	1258

Weight and Capacities

Payload	1393
No. of Seats	2
Plated 2nd Axle	1800
Load Space Volume	6.1
Plated Front Axle	1500
Gross Train Weight	5600
Minimum Kerbweight	1707
Gross Vehicle Weight	3100
Fuel Tank Capacity (Litres)	70
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	1997
Gears	8 SPEED
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	FRONT TRANSVERSE
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
WLTP - MPG - Comb	34.4
WLTP - MPG - Comb - TEH	34.4
WLTP - MPG - Comb - TEL	39.2
WLTP - FC (l/100km) - Comb	8.2
WLTP - FC (l/100km) - Comb - TEH	8.2
WLTP - FC (l/100km) - Comb - TEL	7.2