

# Ford Transit 350 L2 Diesel FWD 2.0 EcoBlue 130ps H2 Freezer Van Leader

Panel Van Large, Diesel, Manual

From

## Price on application

- Top seller #489

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

### Key specification

|                                     |                               |                                        |                               |
|-------------------------------------|-------------------------------|----------------------------------------|-------------------------------|
| Body type<br><b>Panel Van Large</b> | Fuel<br><b>Diesel</b>         | Gearbox<br><b>Manual</b>               | Engine<br><b>2.0 litre</b>    |
| Power<br><b>130 bhp</b>             | Payload<br><b>1472 kg</b>     | Gross weight<br><b>3500 kg</b>         | Load length<br><b>3044 mm</b> |
| Load width<br><b>1784 mm</b>        | Load height<br><b>1886 mm</b> | Load volume<br><b>10 m³</b>            | MPG<br><b>35.3</b>            |
| CO2<br><b>211 g/km</b>              | Seats<br><b>3</b>             | CAP code<br><b>FOTR205LL36DTM2 5 L</b> |                               |

### Standard equipment

#### Wheels

- 16" steel wheels
- Single rear wheels

#### Technical

- 2 x 12V power outlets
- Electronic dynamic cornering control
- ABS + ESP + Hill start assist
- Side wind mitigation

#### Entertainment

- Audio controls mounted on steering wheel

#### Passive Safety

- AGM Deep cycle battery
- Seatbelt reminder on front seats and fixed rear seats

#### Exterior Features

- 180 degree opening rear doors
- Kerbside side load doors
- Power windows
- Wide bodyside mouldings
- High mounted stop lamp
- Medium roof line
- Rear bumper with integral step

#### Interior Features

- Delete bulkhead
- Dual passenger seat tray and table
- Glovebox with A4 file storage
- Paneltex freezer door mouldings
- Reach and rake adjustable steering column
- Temperature chilled down to -25 degree celcius
- Direct air system (patented)
- Freezer specification direct drive refrigeration unit fitted
- Minimum of 75mm insulation
- Radio with remote stalks
- Storage box under dual passenger seat
- Thermal efficient composite construction with seamless hardware-ing GRP (fibreglass) lining

#### Driver Convenience

- Curvature Control
- PAS
- Vehicle maintenance monitor
- Emergency brake warning
- Selectable drive mode
- Warning lights

## Tyres

|                  |                        |
|------------------|------------------------|
| Alloys?          | <b>No</b>              |
| Wheel Type       | <b>16" STEEL</b>       |
| Space Saver?     | <b>No</b>              |
| Tyre Size Rear   | <b>235/65 R16</b>      |
| Tyre Size Front  | <b>235/65 R16</b>      |
| Tyre Size Spare  | <b>TYRE REPAIR KIT</b> |
| Automatic Clutch | <b>No</b>              |

## General

|                                                                         |                          |
|-------------------------------------------------------------------------|--------------------------|
| Clutch                                                                  | <b>SINGLE DRY PLATE</b>  |
| Steering                                                                | <b>RACK AND PINION</b>   |
| Hand Brake                                                              | <b>REAR WHEELS</b>       |
| Badge Power                                                             | <b>130</b>               |
| Rear Brakes                                                             | <b>DISCS</b>             |
| Front Brakes                                                            | <b>DISCS</b>             |
| Special Order                                                           | <b>No</b>                |
| Exhaust System                                                          | <b>EGR</b>               |
| Badge Engine CC                                                         | <b>2.0</b>               |
| Generation Mark                                                         | <b>4</b>                 |
| Rear Suspension                                                         | <b>LEAF SPRINGS</b>      |
| Relative Height                                                         | <b>H2</b>                |
| Relative Length                                                         | <b>L2</b>                |
| Special Edition                                                         | <b>No</b>                |
| Front Suspension                                                        | <b>MACPHERSON STRUTS</b> |
| NCAP Safety Assist %                                                    | <b>60</b>                |
| Service Interval Mileage                                                | <b>25000</b>             |
| NCAP Overall Rating - LCV                                               | <b>Gold</b>              |
| Vehicle Homologation Class                                              | <b>N1</b>                |
| Alternative Fuel Qualifying                                             | <b>No</b>                |
| Running Cost League Headings                                            | <b>LARGE</b>             |
| Timing Belt Interval Mileage                                            | <b>150000</b>            |
| Ghost model for valuation purposes                                      | <b>No</b>                |
| Service Interval Frequency - Months                                     | <b>24</b>                |
| Standard manufacturers warranty - Years                                 | <b>3</b>                 |
| Timing Belt Interval Frequency - Months                                 | <b>120</b>               |
| Did at least one aspect of this vehicles safety give cause for concern? | <b>No</b>                |

## Performance

|                      |             |
|----------------------|-------------|
| BHP                  | <b>130</b>  |
| Engine Power KW      | <b>96</b>   |
| Engine Torque NM     | <b>360</b>  |
| Engine Torque MKG    | <b>36.7</b> |
| Engine Torque LBS.FT | <b>266</b>  |

## Test Cycles

|                      |             |
|----------------------|-------------|
| Emissions Test Cycle | <b>WLTP</b> |
|----------------------|-------------|

## Emissions - ICE

|                                |               |
|--------------------------------|---------------|
| CO2                            | <b>172</b>    |
| Standard Emissions             | <b>EURO 6</b> |
| WLTP - CO2 (g/km) - Comb - TEH | <b>236</b>    |
| WLTP - CO2 (g/km) - Comb - TEL | <b>211</b>    |

## Vehicle Dimensions

|                                       |             |
|---------------------------------------|-------------|
| Height                                | <b>2533</b> |
| Length                                | <b>5531</b> |
| Wheelbase                             | <b>3300</b> |
| Load Width                            | <b>1784</b> |
| Load Height                           | <b>1886</b> |
| Load Length                           | <b>3044</b> |
| Rear Overhang                         | <b>1208</b> |
| Front Overhang                        | <b>1023</b> |
| Load Deck Height                      | <b>605</b>  |
| Rear Door Height                      | <b>1748</b> |
| Side Load Door Width                  | <b>1300</b> |
| Side Load Door Height                 | <b>1700</b> |
| Upper Rear Door Width                 | <b>1565</b> |
| Width (excluding mirrors)             | <b>2059</b> |
| Width (including mirrors)             | <b>2474</b> |
| Turning Circle - Kerb to Kerb         | <b>11.9</b> |
| Load Space Width Between Wheel Arches | <b>1392</b> |

## Weight and Capacities

|                               |             |
|-------------------------------|-------------|
| Payload                       | <b>1472</b> |
| No. of Seats                  | <b>3</b>    |
| Plated 2nd Axle               | <b>2150</b> |
| Load Space Volume             | <b>10</b>   |
| Plated Front Axle             | <b>1750</b> |
| Minimum Kerbweight            | <b>2028</b> |
| Gross Vehicle Weight          | <b>3500</b> |
| Fuel Tank Capacity (Litres)   | <b>70</b>   |
| Max. Towing Weight - Unbraked | <b>750</b>  |

## Engine and Drive Train

|                        |                         |
|------------------------|-------------------------|
| CC                     | <b>1996</b>             |
| Gears                  | <b>6 SPEED</b>          |
| Fuel Type              | <b>DIESEL</b>           |
| Valve gear             | <b>DOHC</b>             |
| Engine Layout          | <b>FRONT TRANSVERSE</b> |
| Fuel Delivery          | <b>COMMON RAIL</b>      |
| Cooling System         | <b>WATER</b>            |
| Cylinder Layout        | <b>IN-LINE</b>          |
| Catalytic Convertor    | <b>Yes</b>              |
| Manual Transmission    | <b>Yes</b>              |
| Automatic Transmission | <b>No</b>               |

## Fuel Consumption - ICE

|                                  |             |
|----------------------------------|-------------|
| EC                               | <b>No</b>   |
| WLTP - MPG - Low - TEH           | <b>36.2</b> |
| WLTP - MPG - Low - TEL           | <b>40.3</b> |
| WLTP - MPG - Comb - TEH          | <b>31.4</b> |
| WLTP - MPG - Comb - TEL          | <b>35.3</b> |
| WLTP - MPG - High - TEH          | <b>31.4</b> |
| WLTP - MPG - High - TEL          | <b>33.7</b> |
| WLTP - FC (l/100km) - Low - TEH  | <b>7.8</b>  |
| WLTP - FC (l/100km) - Low - TEL  | <b>7</b>    |
| WLTP - FC (l/100km) - Comb - TEH | <b>9</b>    |
| WLTP - FC (l/100km) - Comb - TEL | <b>8</b>    |
| WLTP - FC (l/100km) - High - TEH | <b>9</b>    |
| WLTP - FC (l/100km) - High - TEL | <b>8.4</b>  |