

Ford Transit 350 L5 Diesel RWD 2.0 EcoBlue 165ps Leader Premium Dropside

Diesel, Manual

From

£436.69 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel Diesel	Gearbox Manual	Engine 2.0 litre	Power 165 bhp
Payload 1095 kg	Gross weight 3500 kg	Load length 5221 mm	Load width 2038 mm
Seats 3			

Standard equipment

Security

- Audio mis-lock feedback, audible signal if a door is ajar when locking activated
- Key operated bonnet release
- Power central locking
- Two step door unlock system
- Auto locking on drive away, doors automatically lock at 5 mph
- Non locking lug nuts
- Speed dependent power lock group
- Visible Vehicle Identification Number (VIN)

Technical

- 2 x 12V power outlets
- Anti-lock braking system (ABS) with electronic brake-force distribution (EBD)
- Curve control
- Electronic dynamic cornering control
- Front independent MacPherson struts, linear rate coil springs, stabiliser bar, gas pressured shock absorbers and rear leaf springs
- Load adaptive control
- Roll stability control
- Skeletal narrow rear track
- Starter equipment (-20 degree C)
- AdBlue aftertreatment system - 24 Litre
- Brakes - ESP/HLA/FBS
- Dual circuit front and rear discs with self adjusting servo assistance
- Electronic Stability Control (ESC)
- Hill start assist
- Non limited slip differential front axle
- Side wind mitigation
- Start/stop system

Entertainment

- 4 radio speakers
- Audio controls mounted on steering wheel

Passive Safety

- 3-point diagonal inertia reel seatbelts for all front seats
- Driver seatbelt pre-tensioner
- Front passenger airbag deactivation
- Tyre pressure sensors
- Driver and passenger seatbelt reminder
- Driver's airbag
- Front side and curtain airbags

Exterior Features

- 3 Piece side and rear board hinge
- Auto high headlamp
- Automatic on/off headlights
- Cab protector side and rear lashing points are over centre cam latches are fitted at the ends of the boards
- Day/Night inside mirror
- Door mirrors - Blind spot eliminator and integrated side indicator
- Exhaust exit behind muff down
- Flush mounted load lashing rings to raves
- High strength lightweight steel subframe
- Part body colour front bumper
- Quad beam headlamps
- Replaceable resin bonded 15mm ply load deck
- Roping eyes to underside of raves
- Self colour front grille
- Standard grille
- Two steel tube access grab handles designed to accommodate a 150kg person
- Wide bodyside grey mouldings
- Adaptive front lighting system
- Automatic front wipers with rain sensor
- Black door mirrors
- Complete tinted glass
- Daytime running lights
- Driver one touch up/down power windows
- Fixed panel rear window
- Halogen projector headlights
- Low roof line
- Powder coated aluminium sideboards and tailboards with integral bump rubber for improved payload
- Rear fog lamps
- Roof mounted radio antenna
- Self colour door handles
- Side marker lamps
- Steel powder coated headboard with 6 CEN12640 rated load anchorage points
- Unperforated cab back panel

Interior Features

- 2-way head restraints on front seats
- Centre console
- Front door map pockets
- Less load compartment loops
- Overhead console
- Partial rubber inside floor cover
- Recirculation heater
- Twin, 2 litre bottle capacity, fascia mounted bottle holder
- 4-Spoke Polyurethane steering wheel
- Driver's side storage compartment on facia top
- Header courtesy lights
- Molded gear shift knob
- Partial moulded headliner
- Reach and rake adjustable steering column
- Tablet holder
- Underseat storage compartment (Under dual passenger seat)

Driver Convenience

- 8" Part digital instrument cluster
- Collision mitigation system
- Electric power assisted steering (EPAS)
- Event data recorders
- Gearshift indicator light
- Selectable drive modes - Normal, Slippery and Eco
- Vehicle maintenance monitor
- Warning lights
- Wireless Apple CarPlay and Android Auto
- Advanced emergency braking system
- Driver impairment camera
- Emergency assistance
- Ford Easy Fuel capless refuelling system with misfuel inhibit
- Intelligent Speed Assist
- Trip computer
- Vulnerable road user protection
- Water in fuel filter sensor
- Wrong way alert

Tyres

Alloys?	No
Wheel Type	16" STEEL
Tyre Size Rear	235/65 R16
Tyre Size Front	235/65 R16
Automatic Clutch	No

General

Clutch	SINGLE DRY PLATE
Steering	RACK AND PINION
Hand Brake	REAR WHEELS
Badge Power	165
Rear Brakes	DISCS
Front Brakes	DISCS
Special Order	No
Exhaust System	EGR
Badge Engine CC	2.0
Generation Mark	4
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L5
Special Edition	No
Front Suspension	MACPHERSON STRUTS
Service Interval Mileage	25000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	LARGE
Timing Belt Interval Mileage	150000
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	3
Timing Belt Interval Frequency - Months	120
Standard manufacturers warranty - Mileage	100000
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	165
Engine Power KW	121
Engine Torque NM	390
Engine Torque MKG	39.8
Engine Torque LBS.FT	288

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2208
Length	7793
Wheelbase	4522
Load Width	2038
Load Length	5221
Rear Overhang	2032
Front Overhang	1023
Width (excluding mirrors)	2066
Width (including mirrors)	2474
Turning Circle - Kerb to Kerb	15.8

Weight and Capacities

Payload	1095
No. of Seats	3
Plated 2nd Axle	2250
Plated Front Axle	1750
Gross Train Weight	5650
Minimum Kerbweight	2405
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	70
Max. Towing Weight - Braked	2800
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	1996
Gears	6 SPEED
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	FRONT TRANSVERSE
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Catalytic Convertor	Yes
Manual Transmission	Yes
Automatic Transmission	No

Fuel Consumption - ICE

EC	No
----	-----------