

Iveco Daily 35C14 Diesel 2.3 Crew Cab Chassis 4100 WB Hi-Matic

Diesel, Automatic



From

£408.31 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

• Top seller #855

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel
Diesel

Payload
1353 kg

Gearbox
Automatic

Gross weight
3500 kg

Engine
2.3 litre

Seats
6

Power
136 bhp

CAP code
IVDA233C51BDTM2 5 L

Standard equipment

Wheels

- 16" steel wheels

Technical

- 8 speed automatic gearbox
- Central parking brake
- EBD
- Hill holder system
- Roll movement intervention

Entertainment

- Aux input socket

Passive Safety

- Delete provision fire extinguisher
- Without retarder

Exterior Features

- 3 Piece bumper
- Central exhaust pipe
- Predisposition towing
- Split/wide angle rear view mirror
- Trailer sway control

Interior Features

- 2 spotlights
- Arm rests on the doors
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate

- ABS
- Charged battery
- Front crash box and chassis reinforcement
- Increased oil sump

- Mp3 player with tweeter

- Without emergency switch

- Back panel without window
- Fuel filler pipe roof cover
- Radiator in aluminium
- Standard chassis
- Width admitted 2000

- 4 loud speakers
- Double adjustable steering wheel
- Full steel bulkhead
- Rake, height and reach adjustable steering wheel with integrated function
- Shelves at floor level below seats
- Storage compartments with bottle holder

Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Connectivity box 4G
- Deletion of body
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- TPMS (Tyre pressure monitoring system)
- Without E-call
- 12V - 13 pin provision
- Acoustic comfort kit
- Back sensors
- Data set standard
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Trip computer

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	225/75 R16
Tyre Size Front	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	TORQUE CONVERTER
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	136
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	2.3
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L4
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	50000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Running Cost League Headings	LARGE
Timing Belt Interval Mileage	155350
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Timing Belt Interval Frequency - Months	60
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	136
Top Speed	80
Engine Power KW	100
Engine Power RPM	3600
Engine Torque NM	370
Engine Torque MKG	37.7
Engine Torque RPM	1600
Engine Torque LBS.FT	273

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2224
Length	7015
Wheelbase	4100
Rear Overhang	1858
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	13.8

Weight and Capacities

Payload	1353
No. of Seats	6
Minimum Kerbweight	2147
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2287
Bore	88
Gears	8 SPEED
Stroke	94
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	16.0:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
----	----