

Iveco Daily 35C14 Diesel 2.3 Dropside 4100 WB Hi-Matic

Diesel, Automatic



From

£406.48 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

• Top seller #960

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel
Diesel

Gross weight
3500 kg

CAP code
IVDA233C51DDTM2 5 L

Gearbox
Automatic

Load length
5150 mm

Engine
2.3 litre

Load width
2550 mm

Power
136 bhp

Seats
3

Standard equipment

Wheels

- 16" steel wheels

Technical

- 8 speed automatic gearbox
- Central parking brake
- EBD
- Hill holder system
- PTO Provision

Entertainment

- Aux input socket

Passive Safety

- Delete provision fire extinguisher
- Without retarder

Exterior Features

- 3 Piece bumper
- Central exhaust pipe
- No electric taillift provisions
- Rear marker lights
- Split/wide angle rear view mirror
- Trailer sway control
- Without cab guard

- ABS
- Charged battery
- Front crash box and chassis reinforcement
- Increased oil sump
- Roll movement intervention

- Mp3 player with tweeter

- Without emergency switch

- Cab rear window
- Fuel filler pipe roof cover
- Radiator in aluminium
- Side underun protection
- Standard chassis
- Width admitted 2000

Interior Features

- 2 spotlights
- Arm rests on the doors
- Full steel bulkhead
- Rake, height and reach adjustable drivers seat
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate
- 4 loud speakers
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- Rear cab trim panel
- Shelves at floor level below seats
- Storage compartments with bottle holder

Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Data set standard
- 12V - 13 pin provision
- Acoustic comfort kit
- Connectivity box 4G
- Electric power steering with city function button for adjustable steering effort
- Intelligent speed assist and traffic sign recognition
- Trip computer
- Emergency lane keeping assist
- Radar integration
- Without E-call

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	225/75 R16
Tyre Size Front	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	SINGLE DRY PLATE
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	136
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	2.3
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L4
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	30000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	LARGE
Timing Belt Interval Mileage	155350
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Timing Belt Interval Frequency - Months	60
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	136
Top Speed	80
Engine Power KW	100
Engine Power RPM	3600
Engine Torque NM	370
Engine Torque MKG	37.7
Engine Torque RPM	1600
Engine Torque LBS.FT	273

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2273
Length	6999
Wheelbase	4100
Load Width	2550
Load Length	5150
Rear Overhang	1851
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	13.8

Weight and Capacities

No. of Seats	3
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2287
Bore	88
Gears	8 SPEED
Stroke	94
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Codes	F1A
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	16.0:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
----	----