

Iveco Daily 35C18 Diesel 3.0 Crew Cab Tipper 3750 WB

Diesel, Manual

From

£476.97 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel
Diesel

Gearbox
Manual

Engine
3.0 litre

Power
180 bhp

Payload
914 kg

Gross weight
3500 kg

Seats
6

Standard equipment

Wheels

- 16" steel wheels

Technical

- 6 speed gearbox with gearshift indicator
- Central parking brake
- EBD
- Hill holder system
- Roll movement intervention
- Without cross axle differential lock
- ABS
- Charged battery
- Front crash box and chassis reinforcement
- PTO Preparation
- Standard oil sump

Entertainment

- Aux input socket
- Mp3 player with tweeter

Passive Safety

- Delete provision fire extinguisher
- Without retarder
- Without emergency switch

Exterior Features

- 3 Piece bumper
- Cab guard
- Delete rear marker lights
- No electric taillift provisions
- Radiator in aluminium
- Split/wide angle rear view mirror
- Trailer sway control
- Without automatic tow hook
- Back panel without window
- Central exhaust pipe
- Fuel filler pipe roof cover
- Predisposition towing
- Removable rear ladder rack
- Standard chassis
- Width admitted 2000

Interior Features

- 2 spotlights
- Arm rests on the doors
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- 4 loud speakers
- Double adjustable steering wheel
- Full steel bulkhead
- Rake, height and reach adjustable steering wheel with integrated function
- Shelves at floor level below seats
- Storage compartments with bottle holder
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate

Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Connectivity box 4G
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Trip computer
- 12V - 13 pin provision
- Acoustic comfort kit
- Back sensors
- Data set standard
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- TPMS (Tyre pressure monitoring system)
- Without E-call

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	225/75 R16
Tyre Size Front	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	No

General

Clutch	SINGLE DRY PLATE
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	180
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	3.0
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L3
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	50000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Running Cost League Headings	LARGE
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	180
Top Speed	80
Engine Power KW	132
Engine Power RPM	3500
Engine Torque NM	430
Engine Torque MKG	43.8
Engine Torque RPM	1600
Engine Torque LBS.FT	317

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2233
Length	6615
Wheelbase	3750
Rear Overhang	1808
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	12.8

Weight and Capacities

Payload	914
No. of Seats	6
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2998
Bore	95.8
Gears	6 SPEED
Stroke	104
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	17.5:1
Catalytic Convertor	Yes
Manual Transmission	Yes
Automatic Transmission	No

Fuel Consumption - ICE

EC	No
----	----