

Iveco Daily 35S14 Diesel 2.3 Extra High Roof Business Van 3520L WB Hi-Matic

Diesel, Automatic

From

£379.93 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

• Top seller #486

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel Diesel	Gearbox Automatic	Engine 2.3 litre	Power 136 bhp
Payload 1257 kg	Gross weight 3500 kg	Load length 3540 mm	Load width 1740 mm
Load height 2100 mm	Load volume 13.4 m³	MPG 36.2	CO2 204 g/km
Seats 3	CAP code IVDA233SBLHDTA2 5 L		

Standard equipment

Technical

- 8 speed automatic gearbox
- Charged battery
- Front crash box and chassis reinforcement
- Hill holder system
- Roll over mitigation
- Standard cross front spring
- Without diff lock
- ABS
- EBD
- Fuel filler pipe roof C
- Increased oil sump
- Side PTO - without gearbox
- Trallier sway mitigation

Entertainment

- 10" Cluster with 3 configural graphic layout + ADAS

Passive Safety

- 3 point seat belts
- Without emergency switch
- Delete provision fire extinguisher
- Without retarder

Exterior Features

- 3 Piece bumper
- Daytime running lights
- Electrically heated and adjustable door mirrors
- Nearside sliding door
- Side panel without window
- Trailer sway control
- Aluminium radiator
- Delete radiator guard
- Fog lights
- Predisposition towing
- Split/wide angle rear view mirror
- Wheel arch extensions

Interior Features

- Double adjustable steering wheel
- Ergonomic storage with upto 18 storage compartments
- Moulded plastic protection
- Van rear wall without window
- Driver seat with height, reach and rake adjustment
- Manual air conditioning
- Standard temperature climate

Driver Convenience

- Acoustic comfort kit
- Connectivity box 4G
- Data set standard
- Eco mode
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- Trip computer
- Advanced driver distraction warning camera
- Cruise control
- Delete Lane departure warning
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Without E-call

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	195/75 R16
Tyre Size Front	195/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	SINGLE DRY PLATE
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	136
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Alternator Amps	220
Badge Engine CC	2.3
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H3
Relative Length	L2
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	50000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	LARGE
Timing Belt Interval Mileage	155350
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Timing Belt Interval Frequency - Months	60
Manufacturers Paintwork Guarantee - Years	1
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Manufacturers Corrosion Perforation Guarantee - Years	1
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	136
Top Speed	80
Engine Power KW	100
Engine Power RPM	3600
Engine Torque NM	370
Engine Torque MKG	37.7
Engine Torque RPM	1600
Engine Torque LBS.FT	273

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

CO2	204
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Low	282
WLTP - CO2 (g/km) - Comb	266
WLTP - CO2 (g/km) - High	226
WLTP - CO2 (g/km) - Medium	234
WLTP - CO2 (g/km) - Extra High	318

Vehicle Dimensions

Height	2845
Length	6109
Wheelbase	3520
Load Width	1740
Load Height	2100
Load Length	3540
Rear Overhang	1541
Rear Door Height	2000
Side Load Door Width	1260
Lower Rear Door Width	1530
Side Load Door Height	1800
Upper Rear Door Width	1530
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	12.1
Load Space Width Between Wheel Arches	1317

Weight and Capacities

Payload	1257
No. of Seats	3
Load Space Volume	13.4
Minimum Kerbweight	2243
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2287
Bore	88
Gears	8 SPEED
Stroke	94
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	16.0:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
EC Urban	32.5
EC Combined	36.2
EC Extra Urban	38.7
WLTP - MPG - Low	26.4
WLTP - MPG - Comb	27.7
WLTP - MPG - High	32.8
WLTP - MPG - Medium	31.7
WLTP - MPG - Extra High	23.3
WLTP - FC (l/100km) - Low	10.7
WLTP - FC (l/100km) - Comb	10.2
WLTP - FC (l/100km) - High	8.6
WLTP - FC (l/100km) - Medium	8.9
WLTP - FC (l/100km) - Extra High	12.1