

Iveco Daily 35S16 Diesel 2.3 Chassis Cab 4100 WB Hi-Matic

Diesel, Automatic

From

£375.35 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel Diesel	Gearbox Automatic	Engine 2.3 litre	Power 156 bhp
Payload 1712 kg	Gross weight 3500 kg	Seats 3	

Standard equipment

Technical

- 8 speed automatic gearbox
- Central parking brake
- EBD
- Increased oil sump
- Roll movement intervention
- Standard suspension
- ABS
- Charged battery
- Hill holder system
- PTO Provision
- Standard cross front spring
- Without cross axle differential lock

Entertainment

- Aux input socket
- Mp3 player with tweeter

Passive Safety

- Delete provision fire extinguisher
- Without retarder
- Without emergency switch

Exterior Features

- 3 Piece bumper
- Central exhaust pipe
- Delete rear marker lights
- Fuel filler pipe roof cover
- Radiator in aluminium
- Standard chassis
- Width admitted 2000
- Without cab guard
- Cab rear window
- Delete radiator guard
- Delete Rear towing cross member
- Predisposition towing
- Split/wide angle rear view mirror
- Trailer sway control
- Without automatic tow hook
- Without tipper

Interior Features

- 2 spotlights
- Arm rests on the doors
- Full steel bulkhead
- Rake, height and reach adjustable drivers seat
- 4 loud speakers
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate
- Shelves at floor level below seats
- Storage compartments with bottle holder

Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Data set standard
- Electric power steering with city function button for adjustable steering effort
- Intelligent speed assist and traffic sign recognition
- Trip computer
- 12V - 13 pin provision
- Acoustic comfort kit
- Connectivity box 4G
- Deletion of body
- Emergency lane keeping assist
- Radar integration
- Without E-call

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	225/75 R16
Tyre Size Front	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	SINGLE DRY PLATE
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	156
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	2.3
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L4
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	30000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	LARGE
Timing Belt Interval Mileage	155350
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Timing Belt Interval Frequency - Months	60
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	156
Top Speed	80
Engine Power KW	115
Engine Power RPM	3600
Engine Torque NM	400
Engine Torque MKG	40.8
Engine Torque RPM	1600
Engine Torque LBS.FT	295

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2174
Length	6591
Wheelbase	4100
Rear Overhang	1443
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	13.8

Weight and Capacities

Payload	1712
No. of Seats	3
Minimum Kerbweight	1788
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2287
Bore	88
Gears	8 SPEED
Stroke	94
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Codes	F1A
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	16.0:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
----	----