

# Iveco Daily 35S18 Diesel 3.0 Crew Cab Chassis 4100 WB

Diesel, Manual

From

**£400.99 / month**

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

## Key specification

|                           |                                |                            |                         |
|---------------------------|--------------------------------|----------------------------|-------------------------|
| Fuel<br><b>Diesel</b>     | Gearbox<br><b>Manual</b>       | Engine<br><b>3.0 litre</b> | Power<br><b>180 bhp</b> |
| Payload<br><b>1506 kg</b> | Gross weight<br><b>3500 kg</b> | Seats<br><b>6</b>          |                         |

## Standard equipment

### Technical

- 6 speed gearbox with gearshift indicator
- Central parking brake
- EBD
- Hill holder system
- Roll movement intervention
- Standard oil sump
- Without cross axle differential lock
- ABS
- Charged battery
- Front crash box and chassis reinforcement
- PTO Preparation
- Standard cross front spring
- Standard suspension

### Entertainment

- Aux input socket
- Mp3 player with tweeter

### Passive Safety

- Delete provision fire extinguisher
- Without retarder
- Without emergency switch

### Exterior Features

- 3 Piece bumper
- Central exhaust pipe
- Delete Rear towing cross member
- Predisposition towing
- Split/wide angle rear view mirror
- Trailer sway control
- Without automatic tow hook
- Back panel without window
- Delete radiator guard
- Fuel filler pipe roof cover
- Radiator in aluminium
- Standard chassis
- Width admitted 2000

### Interior Features

- 2 spotlights
- Arm rests on the doors
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- 4 loud speakers
- Double adjustable steering wheel
- Full steel bulkhead
- Rake, height and reach adjustable steering wheel with integrated function
- Shelves at floor level below seats
- Storage compartments with bottle holder
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate

## Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Connectivity box 4G
- Deletion of body
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- TPMS (Tyre pressure monitoring system)
- Without E-call
- 12V - 13 pin provision
- Acoustic comfort kit
- Back sensors
- Data set standard
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Trip computer

## Tyres

|                  |                 |
|------------------|-----------------|
| Alloys?          | No              |
| Wheel Type       | 16" STEEL       |
| Space Saver?     | No              |
| Tyre Size Rear   | 225/75 R16      |
| Tyre Size Front  | 225/75 R16      |
| Tyre Size Spare  | TYRE REPAIR KIT |
| Automatic Clutch | No              |

## General

|                                                                         |                     |
|-------------------------------------------------------------------------|---------------------|
| Clutch                                                                  | SINGLE DRY PLATE    |
| Steering                                                                | PAS RACK AND PINION |
| Battery AH                                                              | 105                 |
| Hand Brake                                                              | REAR WHEELS         |
| Badge Power                                                             | 180                 |
| Rear Brakes                                                             | VENTILATED DISCS    |
| Front Brakes                                                            | VENTILATED DISCS    |
| Battery Volts                                                           | 12                  |
| Special Order                                                           | No                  |
| Exhaust System                                                          | CATALYTIC CONVERTER |
| Badge Engine CC                                                         | 3.0                 |
| Generation Mark                                                         | 3                   |
| Rear Suspension                                                         | LEAF SPRINGS        |
| Relative Height                                                         | H1                  |
| Relative Length                                                         | L4                  |
| Special Edition                                                         | No                  |
| Front Suspension                                                        | LEAF SPRINGS        |
| Service Interval Mileage                                                | 50000               |
| NCAP Overall Rating - LCV                                               | 5 Star              |
| Vehicle Homologation Class                                              | N1                  |
| Running Cost League Headings                                            | LARGE               |
| Ghost model for valuation purposes                                      | No                  |
| Service Interval Frequency - Months                                     | 24                  |
| Standard manufacturers warranty - Years                                 | 2                   |
| Standard manufacturers warranty - Mileage                               | Unlimited           |
| This vehicle is classed as a car for VED purposes                       | No                  |
| Did at least one aspect of this vehicles safety give cause for concern? | No                  |

## Performance

|                      |      |
|----------------------|------|
| BHP                  | 180  |
| Top Speed            | 80   |
| Engine Power KW      | 132  |
| Engine Power RPM     | 3500 |
| Engine Torque NM     | 430  |
| Engine Torque MKG    | 43.8 |
| Engine Torque RPM    | 1600 |
| Engine Torque LBS.FT | 317  |

## Test Cycles

|                         |       |
|-------------------------|-------|
| Emissions Test Cycle    | WLTP  |
| RDE Certification Level | RDE 2 |

## Emissions - ICE

|                    |        |
|--------------------|--------|
| Standard Emissions | EURO 6 |
|--------------------|--------|

## Vehicle Dimensions

|                               |      |
|-------------------------------|------|
| Height                        | 2193 |
| Length                        | 6591 |
| Wheelbase                     | 4100 |
| Rear Overhang                 | 1443 |
| Width (excluding mirrors)     | 2052 |
| Turning Circle - Kerb to Kerb | 13.8 |

Weight and Capacities

|                               |      |
|-------------------------------|------|
| Payload                       | 1506 |
| No. of Seats                  | 6    |
| Minimum Kerbweight            | 1994 |
| Gross Vehicle Weight          | 3500 |
| Fuel Tank Capacity (Litres)   | 63   |
| Max. Towing Weight - Braked   | 3500 |
| Max. Towing Weight - Unbraked | 750  |

Engine and Drive Train

|                        |             |
|------------------------|-------------|
| CC                     | 2998        |
| Bore                   | 95.8        |
| Gears                  | 6 SPEED     |
| Stroke                 | 104         |
| Cylinders              | 4           |
| Fuel Type              | DIESEL      |
| Valve gear             | DOHC        |
| Engine Layout          | NORTH SOUTH |
| Fuel Delivery          | COMMON RAIL |
| Cooling System         | WATER       |
| Cylinder Layout        | IN-LINE     |
| Number of Valves       | 16          |
| Compression Ratio      | 17.5:1      |
| Catalytic Convertor    | Yes         |
| Manual Transmission    | Yes         |
| Automatic Transmission | No          |

Fuel Consumption - ICE

|    |    |
|----|----|
| EC | No |
|----|----|