

Iveco Daily 35S21 Diesel 3.0 Crew Cab Chassis 3750 WB Hi-Matic

Diesel, Automatic

From

£430.28 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel Diesel	Gearbox Automatic	Engine 3.0 litre	Power 210 bhp
Payload 1540 kg	Gross weight 3500 kg	Seats 6	

Standard equipment

Technical

- 8 speed automatic gearbox
- Central parking brake
- EBD
- Hill holder system
- Standard cross front spring
- Standard suspension
- ABS
- Charged battery
- Front crash box and chassis reinforcement
- Roll movement intervention
- Standard oil sump
- Without cross axle differential lock

Entertainment

- Aux input socket
- Mp3 player with tweeter

Passive Safety

- Delete provision fire extinguisher
- Without retarder
- Without emergency switch

Exterior Features

- 3 Piece bumper
- Central exhaust pipe
- Delete Rear towing cross member
- Predisposition towing
- Split/wide angle rear view mirror
- Trailer sway control
- Without automatic tow hook
- Back panel without window
- Delete radiator guard
- Fuel filler pipe roof cover
- Radiator in aluminium
- Standard chassis
- Width admitted 2000

Interior Features

- 2 spotlights
- Arm rests on the doors
- Ergonomic storage with upto 18 storage compartments
- Interior lights
- 4 loud speakers
- Double adjustable steering wheel
- Full steel bulkhead
- Rake, height and reach adjustable steering wheel with integrated function
- Shelves at floor level below seats
- Storage compartments with bottle holder
- Redesigned dash with open storages on the top of the dashboard with antiglare protection
- Standard temperature climate

Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera visualization
- 360 degree moulded plastic protection
- Advanced driver distraction warning camera
- Connectivity box 4G
- Deletion of body
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- TPMS (Tyre pressure monitoring system)
- Without E-call
- 12V - 13 pin provision
- Acoustic comfort kit
- Back sensors
- Data set standard
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Trip computer

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	225/75 R16
Tyre Size Front	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	TORQUE CONVERTER
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	210
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Badge Engine CC	3.0
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L3
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	50000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Running Cost League Headings	LARGE
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	210
Top Speed	80
Engine Power KW	154
Engine Power RPM	3500
Engine Torque NM	470
Engine Torque MKG	47.9
Engine Torque RPM	1400
Engine Torque LBS.FT	347

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Vehicle Dimensions

Height	2199
Length	6591
Wheelbase	3750
Rear Overhang	1793
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	12.8

Weight and Capacities

Payload	1540
No. of Seats	6
Minimum Kerbweight	1960
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2998
Bore	95.8
Gears	8 SPEED
Stroke	104
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	17.5:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
----	----