

Iveco Daily 35S21 Diesel 3.0 Extra High Roof Van 3520L WB Hi-Matic

Diesel, Automatic

From

£407.39 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

Fuel Diesel	Gearbox Automatic	Engine 3.0 litre	Power 210 bhp
Payload 1257 kg	Gross weight 3500 kg	Load length 3540 mm	Load width 1740 mm
Load height 2100 mm	Load volume 13.4 m³	Seats 3	

Standard equipment

Technical

- 8 speed automatic gearbox
- Charged battery
- Front crash box and chassis reinforcement
- Hill holder system
- Side PTO - without gearbox
- Standard oil sump
- Without diff lock
- ABS
- EBD
- Fuel filler pipe roof C
- Roll over mitigation
- Standard cross front spring
- Trallier sway mitigation

Entertainment

- 10" Cluster with 3 configural graphic layout + ADAS

Passive Safety

- 3 point seat belts
- Without emergency switch
- Delete provision fire extinguisher
- Without retarder

Exterior Features

- 3 Piece bumper
- Daytime running lights
- Predisposition towing
- Split/wide angle rear view mirror
- Wheel arch extensions
- Aluminium radiator
- Delete radiator guard
- Side panel without window
- Trailer sway control

Interior Features

- Double adjustable steering wheel
- Ergonomic storage with upto 18 storage compartments
- Standard temperature climate
- Driver seat with height, reach and rake adjustment
- Moulded plastic protection
- Van rear wall without window

Driver Convenience

- Acoustic comfort kit
- Connectivity box 4G
- Delete Lane depature warning
- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Radar integration
- Without E-call
- Advanced driver distraction warning camera
- Data set standard
- Eco mode
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- Trip computer

Tyres

Alloys?	No
Wheel Type	16" STEEL
Space Saver?	No
Tyre Size Rear	195/75 R16
Tyre Size Front	195/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Automatic Clutch	Yes

General

Clutch	SINGLE DRY PLATE
Steering	PAS RACK AND PINION
Battery AH	105
Hand Brake	REAR WHEELS
Badge Power	210
Rear Brakes	VENTILATED DISCS
Front Brakes	VENTILATED DISCS
Battery Volts	12
Special Order	No
Exhaust System	CATALYTIC CONVERTER
Alternator Amps	220
Badge Engine CC	3.0
Generation Mark	3
Rear Suspension	LEAF SPRINGS
Relative Height	H3
Relative Length	L2
Special Edition	No
Front Suspension	LEAF SPRINGS
Service Interval Mileage	50000
NCAP Overall Rating - LCV	5 Star
Vehicle Homologation Class	N1
Alternative Fuel Qualifying	No
Running Cost League Headings	LARGE
Ghost model for valuation purposes	No
Service Interval Frequency - Months	24
Standard manufacturers warranty - Years	2
Manufacturers Paintwork Guarantee - Years	1
Standard manufacturers warranty - Mileage	Unlimited
This vehicle is classed as a car for VED purposes	No
Manufacturers Corrosion Perforation Guarantee - Years	1
Did at least one aspect of this vehicles safety give cause for concern?	No

Performance

BHP	210
Top Speed	80
Engine Power KW	155
Engine Power RPM	3500
Engine Torque NM	470
Engine Torque MKG	47.9
Engine Torque RPM	1400
Engine Torque LBS.FT	347

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Emissions - ICE

Standard Emissions	EURO 6
--------------------	---------------

Vehicle Dimensions

Height	2845
Length	6109
Wheelbase	3520
Load Width	1740
Load Height	2100
Load Length	3540
Rear Overhang	1541
Rear Door Height	2000
Side Load Door Width	1260
Lower Rear Door Width	1530
Side Load Door Height	1800
Upper Rear Door Width	1530
Width (excluding mirrors)	2052
Turning Circle - Kerb to Kerb	12.1
Load Space Width Between Wheel Arches	1317

Weight and Capacities

Payload	1257
No. of Seats	3
Load Space Volume	13.4
Minimum Kerbweight	2243
Gross Vehicle Weight	3500
Fuel Tank Capacity (Litres)	63
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750

Engine and Drive Train

CC	2998
Bore	95.8
Gears	8 SPEED
Stroke	104
Cylinders	4
Fuel Type	DIESEL
Valve gear	DOHC
Engine Layout	NORTH SOUTH
Fuel Delivery	COMMON RAIL
Cooling System	WATER
Cylinder Layout	IN-LINE
Number of Valves	16
Compression Ratio	17.5:1
Catalytic Convertor	Yes
Manual Transmission	No
Automatic Transmission	Yes

Fuel Consumption - ICE

EC	No
----	-----------