

MAN TGE 3 Standard Diesel RWD 160 BiTurbo HD Emissions Lion XC  
Van Auto

Panel Van Large, Diesel, Automatic

From

£485.21 / month

Business contract hire, 60 months, 5,000 miles/yr, 12 months initial rental, ex. VAT

• Top seller #1120

Free mainland UK delivery. Business and personal finance available. Ask about part exchange.

Key specification

|                                      |                               |                                |                               |
|--------------------------------------|-------------------------------|--------------------------------|-------------------------------|
| Body type<br><b>Panel Van Large</b>  | Fuel<br><b>Diesel</b>         | Gearbox<br><b>Automatic</b>    | Engine<br><b>2.0 litre</b>    |
| Power<br><b>163 bhp</b>              | Payload<br><b>1120 kg</b>     | Gross weight<br><b>3500 kg</b> | Load length<br><b>3450 mm</b> |
| Load width<br><b>1832 mm</b>         | Load height<br><b>1626 mm</b> | Load volume<br><b>9.3 m³</b>   | Seats<br><b>3</b>             |
| CAP code<br><b>M3TG20LC56VDTM2 L</b> |                               |                                |                               |

Standard equipment

Packs

- Media van pack - TGE

Wheels

- Full size steel spare wheel
- Low rolling resistance tyres

Security

- Electronic immobiliser
- Remote central locking with 2 remote keys

Technical

- 12v socket in dash panel
- 75 litre fuel tank
- Alternator - 140A
- Parking brake - hill start assist
- 30L AdBlue tank
- ABS and EBA
- ESC
- Start and stop system with regenerative braking

Entertainment

- AM/FM tuner with MP3 compatibility
- USB connection
- DAB plus for media van

Passive Safety

- 3 point inertia reel belt on all seats
- Crosswind assist

Exterior Features

- 270 degree rear door hinges
- Manual side sliding door passenger side
- Rear wing doors without windows
- Driver seatbelt warning light
- Nearside sliding door
- Side marker lamps

Interior Features

- 2 load lashing rings on B pillar
- Grab handles on rear entry pillars
- Interior LED lighting system
- Lashing rings for load restraint system
- Cargo area anti-slip floor covering
- Height adjustable driver seat
- Jack and tool kit
- Overhead storage compartment with two 1-DIN slot and reading light
- Rubber floor covering

- Reach and rake adjustable steering wheel

Terminal block

### **Driver Convenience**

- 3 Button module for information and emergency calls
- Bluetooth connectivity
- Wired smartphone integration
- 6.5" Colour touchscreen
- Electromechanical steering

## Tyres

|                  |                   |
|------------------|-------------------|
| Alloys?          | <b>No</b>         |
| Wheel Type       | <b>16" STEEL</b>  |
| Space Saver?     | <b>No</b>         |
| Tyre Size Rear   | <b>205/75 R16</b> |
| Tyre Size Front  | <b>205/75 R16</b> |
| Tyre Size Spare  | <b>FULL SIZE</b>  |
| Automatic Clutch | <b>Yes</b>        |

## General

|                                                                         |                  |
|-------------------------------------------------------------------------|------------------|
| Steering                                                                | <b>PAS</b>       |
| Battery AH                                                              | <b>92</b>        |
| Badge Power                                                             | <b>160</b>       |
| Rear Brakes                                                             | <b>DISCS</b>     |
| Front Brakes                                                            | <b>DISCS</b>     |
| Battery Volts                                                           | <b>12</b>        |
| Special Order                                                           | <b>No</b>        |
| Alternator Amps                                                         | <b>140</b>       |
| Badge Engine CC                                                         | <b>2.0</b>       |
| Generation Mark                                                         | <b>2</b>         |
| Relative Height                                                         | <b>H1</b>        |
| Relative Length                                                         | <b>L1</b>        |
| Special Edition                                                         | <b>No</b>        |
| Service Interval Mileage                                                | <b>18000</b>     |
| Vehicle Homologation Class                                              | <b>N1</b>        |
| Running Cost League Headings                                            | <b>LARGE</b>     |
| Timing Belt Interval Mileage                                            | <b>120000</b>    |
| Ghost model for valuation purposes                                      | <b>No</b>        |
| Service Interval Frequency - Months                                     | <b>24</b>        |
| Standard manufacturers warranty - Years                                 | <b>3</b>         |
| Timing Belt Interval Frequency - Months                                 | <b>72</b>        |
| Manufacturers Paintwork Guarantee - Years                               | <b>3</b>         |
| Standard manufacturers warranty - Mileage                               | <b>Unlimited</b> |
| This vehicle is classed as a car for VED purposes                       | <b>No</b>        |
| Manufacturers Corrosion Perforation Guarantee - Years                   | <b>12</b>        |
| Did at least one aspect of this vehicles safety give cause for concern? | <b>No</b>        |

## Performance

|                      |             |
|----------------------|-------------|
| BHP                  | <b>163</b>  |
| Top Speed            | <b>101</b>  |
| Engine Power KW      | <b>120</b>  |
| Engine Power RPM     | <b>3600</b> |
| Engine Torque NM     | <b>410</b>  |
| Engine Torque MKG    | <b>41.8</b> |
| Engine Torque RPM    | <b>1500</b> |
| Engine Torque LBS.FT | <b>302</b>  |

## Test Cycles

|                         |              |
|-------------------------|--------------|
| Emissions Test Cycle    | <b>WLTP</b>  |
| RDE Certification Level | <b>RDE 2</b> |

### Emissions - ICE

Standard Emissions **EURO 6**

### Vehicle Dimensions

|                                       |      |
|---------------------------------------|------|
| Height                                | 2355 |
| Length                                | 5986 |
| Wheelbase                             | 3640 |
| Load Width                            | 1832 |
| Load Height                           | 1626 |
| Load Length                           | 3450 |
| Rear Overhang                         | 1346 |
| Front Overhang                        | 1000 |
| Load Deck Height                      | 670  |
| Rear Door Height                      | 1505 |
| Side Load Door Width                  | 1311 |
| Lower Rear Door Width                 | 1552 |
| Side Load Door Height                 | 1487 |
| Width (excluding mirrors)             | 2040 |
| Width (including mirrors)             | 2427 |
| Turning Circle - Kerb to Kerb         | 13.6 |
| Load Space Width Between Wheel Arches | 1380 |

### Weight and Capacities

|                               |      |
|-------------------------------|------|
| Payload                       | 1120 |
| No. of Seats                  | 3    |
| Max. Roof Load                | 300  |
| Plated 2nd Axle               | 2250 |
| Load Space Volume             | 9.3  |
| Plated Front Axle             | 1800 |
| Gross Train Weight            | 6000 |
| Minimum Kerbweight            | 2380 |
| Gross Vehicle Weight          | 3500 |
| Fuel Tank Capacity (Litres)   | 75   |
| Max. Towing Weight - Braked   | 3500 |
| Max. Towing Weight - Unbraked | 750  |

### Engine and Drive Train

|                        |                  |
|------------------------|------------------|
| CC                     | 1968             |
| Bore                   | 81               |
| Gears                  | 8 SPEED          |
| Stroke                 | 95.5             |
| Cylinders              | 4                |
| Fuel Type              | DIESEL           |
| Valve gear             | DOHC             |
| Engine Layout          | FRONT TRANSVERSE |
| Fuel Delivery          | COMMON RAIL      |
| Cylinder Layout        | IN-LINE          |
| Number of Valves       | 16               |
| Compression Ratio      | 15.5:1           |
| Catalytic Convertor    | Yes              |
| Manual Transmission    | No               |
| Automatic Transmission | Yes              |